





Supplement

Title: 2AC Inst. Sht. Supplement Issue: **3**
Print Date: August 2010 Issue Date: 6/18
Part Number: Multiple Page Count: 2
Revision/Date: 1, 7/11

This supplement contains information necessary to ensure the accuracy of the above manual.

Change #1, 64826, 64873, 518

Remove the  from the **Symbol** table and add:

	Conforms to relevant South Korean EMC Standards.
	Consult user documentation.
	Conforms to relevant Australian EMC standards.

Following the **Symbols** table, delete the **Safety Compliance, EMC Compliance, Operating , Altitude, and Pollution Degree** sections, and replace with:

Safety: IEC 61010-1, CAT IV / 1000 V Pollution Degree: 2

Electromagnetic Compatibility (EMC)

International IEC 61326-1: Portable Electromagnetic Environment

CISPR 11: Group 1, Class A

Group 1: Equipment has intentionally generated and/or uses conductively-coupled radio frequency energy that is necessary for the internal function of the equipment itself.

Class A: Equipment is suitable for use in all establishments other than domestic and those directly connected to a low-voltage power supply network that supplies buildings used for domestic purposes. There may be potential difficulties in ensuring electromagnetic compatibility in other environments due to conducted and radiated disturbances.

Emissions that exceed the levels required by CISPR 11 can occur when the equipment is connected to a test object.

Korea (KCC) Class A Equipment (Industrial Broadcasting & Communication Equipment)

Class A: Equipment meets requirements for industrial electromagnetic wave equipment and the seller or user should take notice of it. This equipment is intended for use in business environments and not to be used in homes.

USA (FCC) 47 CFR 15 subpart B. This product is considered an exempt device per clause 15.103.

Operating Voltage North America: 90 V ac to 1000 V ac
Altitude 2000 m

Change #2, 518, 586

Under the **Warnings**, add:

- **Read all safety information before you use the Product.**
- **Hold the Product behind the tactile barrier.**
- **Do not use the Product around explosive gas, vapor, or in damp or wet environments.**
- **Repair the Product before use if the battery leaks.**
- **Replace all alkaline batteries with fresh batteries of the same manufacturer and type to prevent battery leakage.**
- **Alkaline batteries contain hazardous chemicals that can cause burns. If exposure to chemicals occurs, clean with water and get medical aid.**

Caution

- **Remove the batteries if the Product is not used for an extended period of time, or if stored in temperatures above 50 °C. If the batteries are not removed, battery leakage can damage the Product.**