

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
TiX1000, TiX660 and TiX640 Thermal Imagers	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	



























Connects with:

3000 FC Digital Multimeter*

a3000 FC Module

a3001 FC Module

a3002 FC Module

v3000 FC Module

v3001 FC Module

t3000 FC Module

TiX560 and TiX520

Ti400, Ti300 and Ti200

pc3000 FC PC Adapter

Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android™ (4.3 and up)

SW3000 FC Software*

Includes: TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Thermal Imagers or with the Fluke Connect app; SW3000 FC Software requires the PC adapter

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
			
	SW3000 FC Software*		
Fluke Connect™ accessories	<div>Includes: 2-AA batteries (installed), information pack</div> <div>Compatible with CNX: No</div> <div>*Requirements: SW3000 FC Software requires the PC adapter</div>		
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools			
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
			
			

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Connects with:



3000 FC Digital Multimeter



TiX560 and TiX520



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



SW3000 FC Software*


i410 and i1010 clamps sold separately
Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack
Compatible with CNX: No
*Requirements: SW3000 FC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector	<div>Includes: TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack</div> <div>Compatible with CNX: No</div> <div>*Requirements: SW3000 FC Software requires the PC adapter</div>		
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

Includes: TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

Compatible with CNX: No

***Requirements:** SW3000 FC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

Includes: 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

Compatible with CNX: No


***Requirements:** SW3000 FC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
TiX1000, TiX660 and TiX640 Thermal Imagers	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	<p>Connects with:</p> <div>  <p>Fluke Connect™ App: iOS (4s and later)</p> </div> <div>  <p>Fluke Connect™ App: Android (4.3 and up)</p> </div> <div>  <p>Wireless FC SD Card</p> </div> <div> <p>Includes: AC power supply and battery pack charger, two battery packs for TiX1000 and TiX660; one for TiX640; SD card reader; FC SD card reader, carrying case, neck strap, hand strap and free download of SmartView® analysis and reporting software.</p> <p>Compatible with CNX: No</p> </div>
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools					Connects with:							
3000 FC Digital Multimeter												
a3000 FC Module – AC Current Clamp												
a3001 FC Module – AC Current w/iFlex												
a3002 FC Module – AC/DC Current												
v3000 FC Module – AC Voltage												
v3001 FC Module – DC Voltage												
t3000 FC Module – Temperature												
TiX1000, TiX660 and TiX640 Thermal Imagers												
TiX560 and TiX520 Thermal Imagers												
Ti400, Ti300 and Ti200 Thermal Imagers												
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers												
Ti95 and Ti90 Thermal Imagers												
Fluke Connect™ accessories												
ir3000 FC Wireless Connector												
pc3000 FC PC Adapter												
Wireless FC SD Card												
Fluke Connect™ software												
Fluke Connect™ App - iOS												
Fluke Connect™ App - Android™												
SW3000 FC Software												

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes

***Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 Thermal Imagers



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature	a3002 FC Module	v3000 FC Module	v3001 FC Module	
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	t3000 FC Module	Fluke Connect™ App: Android (4.3 and up)	3000 FC Digital Multimeter: Android (4.3 and up)	
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes

***Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Thermal Imagers

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	Wireless FC SD Card
v3000 FC Module – AC Voltage		<div>Includes: AC power supply and battery pack charger, two battery packs for Ti125; one for other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</div> <div>Compatible with CNX: Yes</div>		
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
TiX1000, TiX660 and TiX640 Thermal Imagers			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

Connects with:



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



Wireless FC SD Card

Includes: Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.


Compatible with CNX: No



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		Fluke 789 ProcessMeter™	Fluke 289 Digital Multimeter	Fluke 287 Digital Multimeter
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage		Fluke 189 Digital Multimeter	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

189, 287, 289 and 789 compatible
Includes: Instruction sheet
Compatible with CNX: No

189, 287, 289 and 789 compatible

Includes: Instruction sheet

Compatible with CNX: No



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories		Includes: SW3000 FC Software and instruction sheet		
ir3000 FC Wireless Connector	Compatible with CNX: No			
pc3000 FC PC Adapter	*Requirements: 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter			
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Built with
FLUKE CONNECT™









©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	Ti95 and Ti90 Thermal Imagers	TiX1000, TiX660 and TiX640 Thermal Imagers
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)		
Ti400, Ti300 and Ti200 Thermal Imagers	<div><div>Includes: Instruction sheet, manual is available on line at www.fluke.com/fcsdcard</div><div>Compatible with CNX: No</div></div>			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				a3002 FC Module
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage	v3000 FC Module	v3001 FC Module	t3000 FC Module	
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers	TiX1000, TiX660 and TiX640	TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers	Ti95 and Ti90	Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				
Compatible with CNX: No *Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App Users with iOS phones can use the app to communicate with users with iOS or Android phones.				

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				a3002 FC Module
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage		v3000 FC Module	v3001 FC Module	t3000 FC Module
t3000 FC Module – Temperature				
TiX1000, TiX660 and TiX640 Thermal Imagers				
TiX560 and TiX520 Thermal Imagers		TiX1000, TiX660 and TiX640	TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				Ti400, Ti300 and Ti200
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories		Ti95 and Ti90	Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				Fluke Connect™ App: Android (4.3 and up)
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Compatible with CNX: No


***Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App

Users with Andoid phones can use the app to communicate with users with iOS or Android phones.

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
TiX1000, TiX660 and TiX640 Thermal Imagers	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	



Connects with:



3000 FC Digital Multimeter*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



pc3000 FC PC Adapter

Includes: pc3000 FC PC Adapter and instruction sheet

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC software



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 6004609a-en