

# Manual Supplement

Manual Title: 714B Users  
Part Number: Web-Only  
Print Date: January 2014  
Revision/Date:

Supplement Issue: **4**  
Issue Date: 4/15  
Page Count: 3

---

---

This supplement contains information necessary to ensure the accuracy of the above manual.

## Change #1, 67532

On page 4, add the following to the **Symbols** table:

	Conforms to relevant South Korean EMC Standards.
---	--

On page 33, under **General Specifications** add:

**Electromagnetic Compatibility** .. Applies to use in Korea only. Class A Equipment (Industrial Broadcasting & Communication Equipment).  
This product meets requirements for industrial (Class A) electromagnetic wave equipment and the seller or user should take notice of it. This equipment is intended for use in business environments and is not to be used in homes.


## Change #2, 96

On page 13, following the **Auto Backlight-Off**, add:

### External CJC

The Product provides an external CJC option. This option lets you replace the internal CJC with an external cold junction compensation.

To enable External CJC mode:

1. Push .
2. When SHIFT shows on the screen, push  TC TYPE.
3. In the displayed setting list, highlight the **External CJC** option. Use  to select the option.

To disable External CJC mode:

1. Push .
2. When SHIFT shows on the screen, push  TC TYPE.
3. In the displayed setting list, highlight the **External CJC** option. Use  to deselect the option.

### Change #3, 487

On page 33, replace Electromagnetic Environment with:

<b>Electromagnetic Environment</b>	IEC 61326-1, Portable FCC: CFR Title 47, Part 15, Subpart B
------------------------------------	--

### Change #4, 138

On page 25, Table 7, replace item 9 with:

⑨	LCD mask	4307135	1
---	----------	---------	---