

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
805 FC Vibration Meter	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	



Connects with:



3000 FC Digital Multimeter*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



TiX560 and TiX520



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android™ (4.3 and up)



SW3000 FC Software*

Includes: TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Infrared Cameras or with the Fluke Connect app; SW3000 FC Software requires the PC adapter

Includes: TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

Compatible with CNX: No


***Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Infrared Cameras or with the Fluke Connect app; SW3000 FC Software requires the PC adapter




Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en




FLUKE®

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				
	SW3000 FC Software*			
	Includes: 2-AA batteries (installed), information pack Compatible with CNX: No *Requirements: SW3000 FC Software requires the PC adapter			



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools			
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
805 FC Vibration Meter			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers	3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card	pc3000 FC PC Adapter	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			
	SW3000 FC Software*		
Includes: 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack			
Compatible with CNX: No			
*Requirements: SW3000 FC Software requires the PC adapter			

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
805 FC Vibration Meter	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	









3000 FC Digital Multimeter

TiX560 and TiX520

Ti400, Ti300 and Ti200







pc3000 FC PC Adapter

Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android (4.3 and up)



SW3000 FC Software*


i410 and i1010 clamps sold separately
Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack
Compatible with CNX: No
*Requirements: SW3000 FC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
805 FC Vibration Meter			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories	Includes: TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack Compatible with CNX: No *Requirements: SW3000 FC Software requires the PC adapter		
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
805 FC Vibration Meter			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector	<div>Includes: TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack</div> <div>Compatible with CNX: No</div> <div>*Requirements: SW3000 FC Software requires the PC adapter</div>		
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
805 FC Vibration Meter			
TiX560 and TiX520 Thermal Imagers			
Ti400, Ti300 and Ti200 Thermal Imagers			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers			
Ti95 and Ti90 Thermal Imagers			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector	<div>Includes: 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack</div> <div>Compatible with CNX: No</div> <div>*Requirements: SW3000 FC Software requires the PC adapter</div>		
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

 Built with **FLUKE CONNECT™**



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	 Connects with: <div>   </div> <div> Includes: USB Cable, storage case, belt holster and two (2) AA batteries Compatible with CNX: No *Requirements: SW3000 FC Software requires the PC adapter </div>
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
805 FC Vibration Meter	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App – iOS	
Fluke Connect™ App – Android™	
SW3000 FC Software	



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers		Connects with:		
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App – iOS				
Fluke Connect™ App – Android™				
SW3000 FC Software				

Connects with:



3000 FC Digital Multimeter*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



Fluke Connect™ App: Android (4.3 and up)



3000 FC Digital Multimeter: Android (4.3 and up)

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes

***Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 Infrared Cameras



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en

Compatibility chart

FLUKE®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers	<div>Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</div> <div>Compatible with CNX: Yes</div> <div>*Requirements: 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras</div>			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Built with
FLUKE CONNECT™




©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	Wireless FC SD Card
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Includes: AC power supply and battery pack charger, two battery packs for Ti125; one for other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.


Compatible with CNX: Yes



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	Wireless FC SD Card
a3001 FC Module – AC Current w/iFlex		<div>Includes: Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.</div> <div>Compatible with CNX: No</div>		
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers	<div>189, 287, 289 and 789 compatible</div> <div>Includes: Instruction sheet</div> <div>Compatible with CNX: No</div>			
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current		a3002 FC Module	v3000 FC Module	v3001 FC Module
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage		t3000 FC Module	SW3000 FC Software	
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Includes: SW3000 FC Software and instruction sheet

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter



Built with
FLUKE CONNECT™









©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
805 FC Vibration Meter				
TiX560 and TiX520 Thermal Imagers				
Ti400, Ti300 and Ti200 Thermal Imagers				
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers				
Ti95 and Ti90 Thermal Imagers				
<div>Includes: Instruction sheet, manual is available on line at www.fluke.com/fcsdcard</div> <div>Compatible with CNX: No</div>				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:							
3000 FC Digital Multimeter								
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module	a3002 FC Module			
a3001 FC Module – AC Current w/iFlex								
a3002 FC Module – AC/DC Current								
v3000 FC Module – AC Voltage								
v3001 FC Module – DC Voltage								
t3000 FC Module – Temperature		v3000 FC Module	v3001 FC Module	t3000 FC Module	805FC Vibration Tester			
805 FC Vibration Meter								
TiX560 and TiX520 Thermal Imagers								
Ti400, Ti300 and Ti200 Thermal Imagers		TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200	Ti95 and Ti90			
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers								
Ti95 and Ti90 Thermal Imagers								
Fluke Connect™ accessories								
ir3000 FC Wireless Connector								
pc3000 FC PC Adapter		Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)				
Wireless FC SD Card								
Fluke Connect™ software								
Fluke Connect™ App - iOS	<table><tr><td>Compatible with CNX: No</td></tr><tr><td>*Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App</td></tr><tr><td>Users with iOS phones can use the app to communicate with users with iOS or Android phones.</td></tr></table>					Compatible with CNX: No	*Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App	Users with iOS phones can use the app to communicate with users with iOS or Android phones.
Compatible with CNX: No								
*Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App								
Users with iOS phones can use the app to communicate with users with iOS or Android phones.								
Fluke Connect™ App - Android™								
SW3000 FC Software								

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module	a3002 FC Module
a3001 FC Module – AC Current w/iFlex					
a3002 FC Module – AC/DC Current					
v3000 FC Module – AC Voltage					
v3001 FC Module – DC Voltage		v3000 FC Module	v3001 FC Module	t3000 FC Module	805FC Vibration Tester
t3000 FC Module – Temperature					
805 FC Vibration Meter					
TiX560 and TiX520 Thermal Imagers					
Ti400, Ti300 and Ti200 Thermal Imagers	TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200	Ti95 and Ti90	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers					
Ti95 and Ti90 Thermal Imagers					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter	Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)		
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC Software					

Compatible with CNX: No
*Requirements: 3000 FC DMM must be in module mode to connect with Fluke Connect App
Users with Andoid phones can use the app to communicate with users with iOS or Android phones.

Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
805 FC Vibration Meter	
TiX560 and TiX520 Thermal Imagers	
Ti400, Ti300 and Ti200 Thermal Imagers	
Ti125, Ti110, Ti105 and Ti100 Thermal Imagers	
Ti95 and Ti90 Thermal Imagers	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	



Connects with:



3000 FC Digital Multimeter*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



pc3000 FC PC Adapter

Includes: pc3000 FC PC Adapter and instruction sheet

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC software



Built with
FLUKE CONNECT™



©2015 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 2/2014 Pub ID 13317-en

