# "TRADE-IN, TRADE-UP FLUKE 753 AND 754" GIFT WITH PURCHASE TERMS & CONDITIONS

## 1. Eligibility:

A special invitation free gift (the "Promotion") is available to customers who are working with an authorized Fluke Sales Representative and who purchase a "Qualifying Fluke Product," described in Section 6 below, from an authorized Fluke distributor in the United States or Canada between August 12, 2015 and December 31, 2016 and who subsequently trade in a documenting process calibrator tool (any brand). See the list of authorized distributors at <a href="http://en-us.fluke.com/where-to-buy">http://en-us.fluke.com/where-to-buy</a>. The Promotion is void where prohibited by law. The Promotion is also void in Puerto Rico and all other U.S. Territories and possessions, and is void in overseas military installations. Void in Quebec. A receipt for a Qualifying Fluke Product may only be submitted once to participate in the Promotion. Receipts submitted more than once are invalid. Only one gift will be awarded for each receipt received. Multiple Qualifying Fluke Product purchases evidenced by one receipt qualify for only one gift. This offer cannot be combined with any other discounts, credits, rebates or other special offers from the Sponsor. Documentation submitted to redeem this offer must be postmarked no later than 30 days following the purchase date (the "Redemption Deadline") shown on the receipt of a Qualifying Fluke Products. Redemption documents submitted after this date will be rejected without being fulfilled and will not be returned. All forms submitted must be signed by an Authorized Fluke Sales Representative.

In order to participate in the Promotion, the redemption form must be completed accurately and in its entirety. Gift redemptions must be shipped to the customer's physical address. Gifts cannot be shipped to post office boxes, reshipping, import/export, individual resellers, procurement or reseller companies, or to distributors. Redemption requests are subject to further audit and, at the Sponsor's sole discretion, customers may be required to provide additional proof of purchase, including but not limited to physical UPC codes from packaging, product serial numbers or proof of delivery to participate in the Promotion. Customers may not participate in the Promotion by submitting redemption documents through Fluke sales staff, Fluke service centers or Fluke corporate offices. Instead, customers must submit documentation in accordance with Section 4 below.

Employees, directors and officers of Fluke Electronics Corporation in the United States and Fluke Electronics Canada LP in Canada (together, the "Sponsor"), its parent companies, affiliated companies, subsidiaries, distributors, representatives, and those persons' immediate families (parents, siblings, children and spouse) and persons living in the same household (whether related or not) are not eligible to participate in the Promotion. Further, no employees, officers, directors, representatives or agents of (i) government entities, including government owned or controlled companies, (ii) distributors or (iii) competing tool manufacturers are eligible to participate in the Promotion.

### 2. Disclaimer:

Sponsor and each of its parent companies, subsidiaries, and affiliates, and each of their respective directors, officers, professional advisors, distributors, representatives, employees and agencies (collectively, the "Released Parties") will not be responsible or have any liability for: (a) any late, lost, misrouted, garbled or distorted or damaged communications, transmissions or redemption requests; (b) telephone, electronic, hardware, software, network, Internet, or other computer- or communications-related malfunctions or failures; (c) any Promotion disruptions, injuries, losses or damages caused by events beyond the control of Sponsor or by non-authorized human or other intervention; or (d) any printing or typographical errors in any materials associated with the Promotion.

## 3. Promotion Period:

In order to qualify for the Promotion, customers must purchase a Qualifying Fluke Product during the promotion period, which starts at 12:00 AM Pacific Time ("PT") on August 12, 2015 and ends at 11:59 PM PT on December 31, 2016 (the "Promotion Period"). Pacific Time shall control for all purposes of this Promotion. Customer's invoice/receipt must state the date of purchase. **Sponsor's computer shall be the official time-keeping device for the Promotion.** 

## 4. How to Redeem Your Gift with Qualifying Purchase:

- a. <u>Mail-In redemption</u>. To submit a redemption request a participant must mail in the redemption form (copies are available from a Fluke Sales Representative). The participant must complete the redemption form accurately and in its entirety. Participant must package trade-in documenting process calibrator tool (any brand) along with the completed redemption form with correct postage affixed to Attn: Calibrator Trade-In Promotion, Fluke Corporation, 6920 Seaway Blvd, M/S 250E, Everett, WA 98203 USA. Mailed redemption requests must be **postmarked no later than the Redemption Deadline**, as evidenced by the date of the receipt showing such purchase, or the redemption request will be rejected and will not be fulfilled or returned.
- b. For all redemption requests. All contact information required on your redemption form must be provided for your redemption request to be valid. A copy of the purchase receipt must be included that clearly shows each Fluke Qualifying Product purchased. Sponsor has the right to substantiate all sales receipts and other redemption documents. Redemption documents will not be returned. All participants and redemption documents are subject to verification and audit by Sponsor, in its discretion. Any redemption request that does not comply with any aspect of these Terms & Conditions may be rejected by Sponsor in its sole discretion and the participant may be disqualified from participating in the Promotion. Sponsor's use of your personal information provided to Sponsor, in each case subject to Sponsor's privacy policy (available at <a href="http://en-us.fluke.com/site/privacy">http://en-us.fluke.com/site/privacy</a>). You may subsequently opt-out of receiving further emails from Sponsor as set forth in its privacy policy.
- c. <u>If trade-in process calibrator has been used in a hazardous environment</u>, please email <u>promotions@fluke.com</u> for alternate shipping procedure.

#### 5. Promotion Details:

To be eligible, a Qualifying Fluke Product must be purchased during the Promotion Period. Offer available by invitation only and trade-in redemption form must be signed by a Fluke Sales Representative. Additionally, trade-in process calibrator (any brand) must be submitted to Fluke. All costs associated with shipping and handling of a gift made in connection with the Promotion within the U.S. or Canada will be paid by Sponsor. The customer is responsible for all taxes, customs duties and other similar fees payable in connection with receiving the gift.

Customers who purchased a Fluke 753 Documenting Process Calibrator and who are sent in their old process calibrator are eligible for one Pressure Module and one Test Pump designated in the table below.

Pressure Modules		Test Pumps	
750P00	0 to 1 inH <sub>2</sub> O (0 to 2.5 mBar)	700HTP-2	Hydraulic Test Pump
750P01	0 to 10 inH <sub>2</sub> O (0 to 25 mBar)	700PTP-1	Pneumatic Test Pump
750P02	0 to 1 psi (0 to 70 mBar)	700PMP	Precision Pressure Test Pump
750P03	0 to 5 psi (0 to 350 mBar)	700LPT-1	Low-Pressure Test Pump
750P04	0 to 15 psi (0 to 1 bar)		
750P22	0 to 1 psi (0 to 70 mBar)		
750P23	0 to 5 psi (0 to 350 mBar)		
750P24	0 to 15 psi (0 to 1 bar)		
750P05	0 to 30 psi (0 to 2 bar)		
750P06	0 to 100 psi (0 to 7 bar)		
750P07	0 to 500 psi (0 to 35 bar)		
750P08	0 to 1000 psi (0 to 70 bar)		
750P09	0 to 1500 psi (0 to 100 bar)		
750P27	0 to 300 psi (0 to 20 bar)		
750P2000	0 to 2000 psi (0 to 140 bar)		
750P29	0 to 3000 psi (0 to 200 bar)		

750P30	0 to 5000 psi (0 to 340 bar)	
750P31	0 to 10000 psi (0 to 700 bar)	
750PA3	0 to 5 psia (0 to 350 mBar)	
750PA4	0 to 15 psia (0 to 1 bar)	
750PA5	0 to 30 psia (0 to 2 bar)	
750PA6	0 to 100 psia (0 to 7 bar)	
750PA7	0 to 500 psia (0 to 35 bar)	
750PA8	0 to 1000 psia (0 to 70 bar)	
750PA9	0 to 1500 psia (0 to 100 bar)	
750PA27	0 to 300 psia (0 to 20 bar)	
750PV3	-5 psi (-350 mBar)	
750PV4	-15 psi (-1 bar)	
750PD2	-1 to 1 psi (-70 to 70 mBar)	
750PD3	-5 to 5 psi (-350 to 350 mBar)	
750PD4	-15 to 15 psi (-1 to 1 bar)	
750PD5	-15 to 30 psi (-1 to 2 bar)	
750PD6	-15 to 100 psi (-1 to 7 bar)	
750PD7	-15 to 200 psi (-1 to 14 bar)	
750PD10	-10 to 10 psi (-700 to 700 mBar)	
750PD27	-15 to 300 psi (-1 to 20 bar)	
750PD50	-15 to 50 psi (-1 to 3.5 bar)	

Customers who purchased a Fluke 754 Documenting Process Calibrator and who sent in their old process calibrator are eligible for one of the options below.

Option 1: Fluke 771 mA Clamp, one pressure module and one test pump from the table below.

Option 2: Fluke 773 mA Clamp and one pressure module from the table below.

Option 3: Two pressure modules from the table below.

<b>Pressure Modules</b>		Test Pumps	
750P00	0 to 1 inH <sub>2</sub> O (0 to 2.5 mBar)	700HTP-2	Hydraulic Test Pump
750P01	0 to 10 inH <sub>2</sub> O (0 to 25 mBar)	700PTP-1	Pneumatic Test Pump
750P02	0 to 1 psi (0 to 70 mBar)	700PMP	Precision Pressure Test Pump
750P03	0 to 5 psi (0 to 350 mBar)	700LPT-1	Low-Pressure Test Pump
750P04	0 to 15 psi (0 to 1 bar)		
750P22	0 to 1 psi (0 to 70 mBar)		
750P23	0 to 5 psi (0 to 350 mBar)		

750P24  0 to 15 psi (0 to 1 bar) 750P05  0 to 30 psi (0 to 2 bar) 750P06  0 to 100 psi (0 to 7 bar) 750P07  0 to 500 psi (0 to 35 bar) 750P08  0 to 1000 psi (0 to 70 bar) 750P08  0 to 1500 psi (0 to 100 bar) 750P09  0 to 1500 psi (0 to 100 bar) 750P27  0 to 300 psi (0 to 20 bar) 750P2000  0 to 2000 psi (0 to 140 bar) 750P29  0 to 3000 psi (0 to 200 bar) 750P30  0 to 5000 psi (0 to 200 bar) 750P31  0 to 10000 psi (0 to 70 bar) 750PA3  0 to 5 psia (0 to 330 mBar) 750PA4  0 to 15 psia (0 to 1 bar) 750PA5  0 to 30 psia (0 to 2 bar) 750PA6  0 to 100 psia (0 to 7 bar) 750PA7  0 to 500 psia (0 to 35 bar) 750PA8  0 to 1000 psia (0 to 70 bar) 750PA9  0 to 1500 psia (0 to 20 bar) 750PA9  0 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PA9  1 to 1500 psia (0 to 20 bar) 750PD4  1-15 psi (-1 bar) 750PD5  -15 to 5 psi (-350 mBar) 750PD6  -15 to 10 psi (-1 to 2 bar) 750PD7  -15 to 200 psi (-1 to 14 bar)			<del>                                     </del>
750P06 0 to 100 psi (0 to 7 bar)  750P07 0 to 500 psi (0 to 35 bar)  750P08 0 to 1000 psi (0 to 70 bar)  750P09 0 to 1500 psi (0 to 100 bar)  750P27 0 to 300 psi (0 to 100 bar)  750P2000 0 to 2000 psi (0 to 140 bar)  750P29 0 to 3000 psi (0 to 200 bar)  750P30 0 to 5000 psi (0 to 340 bar)  750P31 0 to 10000 psi (0 to 700 bar)  750PA3 0 to 5 psia (0 to 350 mBar)  750PA4 0 to 15 psia (0 to 1 bar)  750PA5 0 to 30 psia (0 to 2 bar)  750PA6 0 to 100 psia (0 to 7 bar)  750PA7 0 to 500 psia (0 to 35 bar)  750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA9 0 to 1500 psia (0 to 2 bar)  750PA9 1 to 1500 psia (0 to 7 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PD3 -5 psi (-350 mBar)  750PD4 -15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750P24	0 to 15 psi (0 to 1 bar)	
750P07 0 to 500 psi (0 to 35 bar)  750P08 0 to 1000 psi (0 to 70 bar)  750P09 0 to 1500 psi (0 to 100 bar)  750P27 0 to 300 psi (0 to 20 bar)  750P2000 0 to 2000 psi (0 to 140 bar)  750P29 0 to 3000 psi (0 to 200 bar)  750P30 0 to 5000 psi (0 to 200 bar)  750P31 0 to 10000 psi (0 to 700 bar)  750PA3 0 to 5 psia (0 to 350 mBar)  750PA4 0 to 15 psia (0 to 1 bar)  750PA5 0 to 30 psia (0 to 2 bar)  750PA6 0 to 100 psia (0 to 7 bar)  750PA7 0 to 500 psia (0 to 35 bar)  750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 -15 psi (-1501 to 100 bar)  750PD4 -15 psi (-1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750P05	0 to 30 psi (0 to 2 bar)	
750P08	750P06	0 to 100 psi (0 to 7 bar)	
750P09	750P07	0 to 500 psi (0 to 35 bar)	
750P27 0 to 300 psi (0 to 20 bar)  750P290 0 to 3000 psi (0 to 140 bar)  750P29 0 to 3000 psi (0 to 200 bar)  750P30 0 to 5000 psi (0 to 340 bar)  750P31 0 to 10000 psi (0 to 700 bar)  750PA3 0 to 5 psia (0 to 350 mBar)  750PA4 0 to 15 psia (0 to 1 bar)  750PA5 0 to 30 psia (0 to 2 bar)  750PA6 0 to 100 psia (0 to 7 bar)  750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 500 psia (0 to 35 bar)  750PA9 0 to 1500 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 70 bar)  750PA9 1 to 1500 psia (0 to 20 bar)  750PA9 - 15 psi (-350 mBar)  750PV4 -15 psi (-1 bar)  750PD5 -15 to 30 psi (-1 to 1 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750P08	0 to 1000 psi (0 to 70 bar)	
750P2000 0 to 2000 psi (0 to 140 bar) 750P29 0 to 3000 psi (0 to 200 bar) 750P30 0 to 5000 psi (0 to 340 bar) 750P31 0 to 10000 psi (0 to 700 bar) 750PA3 0 to 5 psia (0 to 350 mBar) 750PA4 0 to 15 psia (0 to 1 bar) 750PA5 0 to 30 psia (0 to 2 bar) 750PA6 0 to 100 psia (0 to 7 bar) 750PA7 0 to 500 psia (0 to 35 bar) 750PA8 0 to 1000 psia (0 to 70 bar) 750PA9 0 to 1500 psia (0 to 100 bar) 750PA9 0 to 1500 psia (0 to 100 bar) 750PA9 - 15 psi (-1 bar) 750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 1 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750P09	0 to 1500 psi (0 to 100 bar)	
750P29	750P27	0 to 300 psi (0 to 20 bar)	
750P30 0 to 5000 psi (0 to 340 bar)  750P31 0 to 10000 psi (0 to 700 bar)  750PA3 0 to 5 psia (0 to 350 mBar)  750PA4 0 to 15 psia (0 to 1 bar)  750PA5 0 to 30 psia (0 to 2 bar)  750PA6 0 to 100 psia (0 to 7 bar)  750PA7 0 to 500 psia (0 to 35 bar)  750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA27 0 to 300 psia (0 to 100 bar)  750PA3 0 to 1500 psia (0 to 100 bar)  750PA4 -15 psi (-1 bar)  750PV4 -15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 14 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750P2000	0 to 2000 psi (0 to 140 bar)	
750PA3	750P29	0 to 3000 psi (0 to 200 bar)	
750PA3 0 to 5 psia (0 to 350 mBar) 750PA4 0 to 15 psia (0 to 1 bar) 750PA5 0 to 30 psia (0 to 2 bar) 750PA6 0 to 100 psia (0 to 7 bar) 750PA7 0 to 500 psia (0 to 35 bar) 750PA8 0 to 1000 psia (0 to 70 bar) 750PA9 0 to 1500 psia (0 to 100 bar) 750PA27 0 to 300 psia (0 to 100 bar) 750PA27 0 to 300 psia (0 to 20 bar) 750PV3 -5 psi (-350 mBar) 750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD3 -5 to 5 psi (-350 to 350 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750P30	0 to 5000 psi (0 to 340 bar)	
750PA4 0 to 15 psia (0 to 1 bar) 750PA5 0 to 30 psia (0 to 2 bar) 750PA6 0 to 100 psia (0 to 7 bar) 750PA7 0 to 500 psia (0 to 35 bar) 750PA8 0 to 1000 psia (0 to 70 bar) 750PA9 0 to 1500 psia (0 to 100 bar) 750PA27 0 to 300 psia (0 to 20 bar) 750PV3 -5 psi (-350 mBar) 750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD3 -5 to 5 psi (-350 to 350 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750P31	0 to 10000 psi (0 to 700 bar)	
750PA5 0 to 30 psia (0 to 2 bar) 750PA6 0 to 100 psia (0 to 7 bar) 750PA7 0 to 500 psia (0 to 35 bar) 750PA8 0 to 1000 psia (0 to 70 bar) 750PA9 0 to 1500 psia (0 to 100 bar) 750PA27 0 to 300 psia (0 to 20 bar) 750PV3 -5 psi (-350 mBar) 750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 1 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PA3	0 to 5 psia (0 to 350 mBar)	
750PA6	750PA4	0 to 15 psia (0 to 1 bar)	
750PA7 0 to 500 psia (0 to 35 bar)  750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA27 0 to 300 psia (0 to 20 bar)  750PV3 -5 psi (-350 mBar)  750PV4 -15 psi (-1 bar)  750PD2 -1 to 1 psi (-70 to 70 mBar)  750PD3 -5 to 5 psi (-350 to 350 mBar)  750PD4 -15 to 15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750PA5	0 to 30 psia (0 to 2 bar)	
750PA8 0 to 1000 psia (0 to 70 bar)  750PA9 0 to 1500 psia (0 to 100 bar)  750PA27 0 to 300 psia (0 to 20 bar)  750PV3 -5 psi (-350 mBar)  750PV4 -15 psi (-1 bar)  750PD2 -1 to 1 psi (-70 to 70 mBar)  750PD3 -5 to 5 psi (-350 to 350 mBar)  750PD4 -15 to 15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750PA6	0 to 100 psia (0 to 7 bar)	
750PA9 0 to 1500 psia (0 to 100 bar)  750PA27 0 to 300 psia (0 to 20 bar)  750PV3 -5 psi (-350 mBar)  750PV4 -15 psi (-1 bar)  750PD2 -1 to 1 psi (-70 to 70 mBar)  750PD3 -5 to 5 psi (-350 to 350 mBar)  750PD4 -15 to 15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750PA7	0 to 500 psia (0 to 35 bar)	
750PA27 0 to 300 psia (0 to 20 bar)  750PV3 -5 psi (-350 mBar)  750PV4 -15 psi (-1 bar)  750PD2 -1 to 1 psi (-70 to 70 mBar)  750PD3 -5 to 5 psi (-350 to 350 mBar)  750PD4 -15 to 15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750PA8	0 to 1000 psia (0 to 70 bar)	
750PV3 -5 psi (-350 mBar) 750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD3 -5 to 5 psi (-350 to 350 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PA9	0 to 1500 psia (0 to 100 bar)	
750PV4 -15 psi (-1 bar) 750PD2 -1 to 1 psi (-70 to 70 mBar) 750PD3 -5 to 5 psi (-350 to 350 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PA27	0 to 300 psia (0 to 20 bar)	
750PD2 -1 to 1 psi (-70 to 70 mBar)  750PD3 -5 to 5 psi (-350 to 350 mBar)  750PD4 -15 to 15 psi (-1 to 1 bar)  750PD5 -15 to 30 psi (-1 to 2 bar)  750PD6 -15 to 100 psi (-1 to 7 bar)  750PD7 -15 to 200 psi (-1 to 14 bar)	750PV3	-5 psi (-350 mBar)	
750PD3 -5 to 5 psi (-350 to 350 mBar) 750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PV4	-15 psi (-1 bar)	
750PD4 -15 to 15 psi (-1 to 1 bar) 750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PD2	-1 to 1 psi (-70 to 70 mBar)	
750PD5 -15 to 30 psi (-1 to 2 bar) 750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PD3	-5 to 5 psi (-350 to 350 mBar)	
750PD6 -15 to 100 psi (-1 to 7 bar) 750PD7 -15 to 200 psi (-1 to 14 bar)	750PD4	-15 to 15 psi (-1 to 1 bar)	
750PD7 -15 to 200 psi (-1 to 14 bar)	750PD5	-15 to 30 psi (-1 to 2 bar)	
	750PD6	-15 to 100 psi (-1 to 7 bar)	
750PD10 -10 to 10 psi (-700 to 700 mBar)	750PD7	-15 to 200 psi (-1 to 14 bar)	
· · · · · · · · · · · · · · · · · · ·	750PD10	-10 to 10 psi (-700 to 700 mBar)	
750PD27 -15 to 300 psi (-1 to 20 bar)	750PD27	-15 to 300 psi (-1 to 20 bar)	
750PD50 -15 to 50 psi (-1 to 3.5 bar)	750PD50	-15 to 50 psi (-1 to 3.5 bar)	

Standard lead time on gift shipment is 10 to 12 weeks from date that the redemption is approved by the Sponsor. However, participants should note that deliveries may be delayed beyond such standard periods.

If a selected gift is unavailable to honor a participant's redemption request, Sponsor, in its sole discretion, reserves the right to substitute the gift with another gift of equal or greater value to honor that request. No cash substitutes are allowed for any reason. Eligibility to participate in the Promotion is non-transferable and non-assignable.

If Fluke Qualifying Products listed on your redemption form were purchased by you for your employer, then you agree to promptly deliver any gifts awarded under the Promotion to your employer, and to provide Sponsor evidence of such delivery upon request. In addition, you are solely responsible for complying with your company's policy regarding acceptance of gifts.

## 6. Qualifying Fluke Products:

Only Fluke 753 and Fluke 754 Process Documenting Calibrator purchases are eligible for the Promotion. Fluke 753 or Fluke 754 Documenting Process Calibrator purchases must be made during the Promotion Period. Purchases of Fluke 753 or Fluke 754 Documenting Process Calibrators must be made from an authorized distributor in the United States or Canada.

## 7. Release of Liability:

Except where otherwise prohibited by law, by participating in the Promotion, you release and agree to indemnify and hold harmless each Released Party from any liability, obligation, injury, claim, suit, action, cost, expense, loss or damage of any kind, including any tax liability or loss of opportunity, whether direct, indirect, special, incidental or consequential, that may be imposed on, asserted against or incurred by such Released Party that arise out of or relate in any way to this Promotion and the gifts offered hereunder, including, but not limited to, where arising out of or relating to the following: (a) any technical difficulties or equipment malfunction (whether or not under Sponsor's control); (b) any theft, unauthorized access or third party interference; (c) any redemption request that is late, lost, altered, damaged or misdirected (whether or not after their receipt by Sponsor, and whether or not in Sponsor's control); (d) any damages due to the operation of the postal service; (e) any variation in gift value to that stated in these Terms & Conditions; (f) any tax liability incurred by participant; or (g) use or misuse of the gifts offered under the Promotion.

## 8. Copyright Notice:

The Promotion and all accompanying materials are copyright © 2016 by Fluke Corporation. All rights reserved.

## 9. Miscellaneous:

The Promotion and these Terms & Conditions will be governed, construed and interpreted under the laws of the state of Washington without applying any conflicts or choice of law provisions under such law that might refer the construction or interpretation of any term hereof to the laws of any other jurisdiction. Participants are bound by these Terms & Conditions and by the decisions of Sponsor, which are final and binding in all respects. To the extent permitted by law, Sponsor reserves the right to change these Terms & Conditions at any time, in its sole discretion, and to suspend or cancel the Promotion or any person's participation in the Promotion should computer viruses, unauthorized human intervention or other causes beyond Sponsor's control affect the administration, security or conduct of the Promotion, Sponsor otherwise becomes (as determined in its sole discretion) incapable of conducting the Promotion as planned, or for any other reason determined by Sponsor to be appropriate in its discretion. Participants who violate these Terms & Conditions, violate any law, rule or regulation in connection with participation in the Promotion, tamper with the operation of the Promotion or any gift offered hereunder, or engage in any conduct that is detrimental or unfair to Sponsor, the Promotion or any other participant (in each case as determined in Sponsor's sole discretion) are subject to disqualification from participation in the Promotion and all other rights and remedies available under the law. If you have any questions about these Terms & Conditions or the Promotion, please email them to info@fluke.com or send written questions to the address, Attn: Calibrator Trade-In Promotion Questions: Fluke Corporation, 6920 Seaway Boulevard, M/S 201E, Everett, WA 98203.

## 10. Sponsor's Address Information:

Fluke Electronics Corporation, 6920 Seaway Boulevard, Everett, WA 98203 and Fluke Electronics Canada LP, 400 Britannia Road East, Unit 1, Mississauga, ON L4Z 1X9 Canada.