



A Fluke Company

SLDR, SLDG

Laser Detectors

Safety Information



3-Year Limited Warranty.
See the Users Manual for the full warranty.

To register your product, visit www.plslaser.com.

To view, print, or download the latest manual or manual supplement, visit www.plslaser.com.

A **Warning** identifies hazardous conditions and procedures that are dangerous to the user.

PN 4954265

March 2018

© 2018 Fluke Corporation. All rights reserved.

Specifications are subject to change without notice.

All product names are trademarks of their respective companies.

Fluke Corporation
P.O. Box 9090
Everett, WA 98206-9090
U.S.A.

Fluke Europe B.V.
P.O. Box 1186
5602 BD Eindhoven
The Netherlands

ООО «Флюк СИАЙЭС»
125167, г. Москва,
Ленинградский проспект дом 37,
корпус 9, подъезд 4, 1 этаж






Warning



To prevent personal injury:

- Read all safety information before you use the Product.
- Carefully read all instructions.
- Do not alter the Product and use only as specified, or the protection supplied by the Product can be compromised.
- Do not use the Product if it operates incorrectly.
- Do not use the Product if it is altered or damaged.
- Remove the batteries if the Product is not used for an extended period of time, or if stored in temperatures above 50 °C. If the batteries are not removed, battery leakage can damage the Product.

Symbols

The table below lists the symbols that can be used on the Product or in this document.

Symbol	Description
	Consult user documentation.
	WARNING. RISK OF DANGER.
	Battery or battery compartment.
	Conforms to European Union directives.
	Conforms to relevant Australian Safety and EMC standards.

Symbol	Description
	Conforms to relevant South Korean EMC standards.
	This product complies with the WEEE Directive marking requirements. The affixed label indicates that you must not discard this electrical/electronic product in domestic household waste. Product Category: With reference to the equipment types in the WEEE Directive Annex I, this product is classed as category 9 "Monitoring and Control Instrumentation" product. Do not dispose of this product as unsorted municipal waste.

Specifications

Power

- Batteries 1 x 9 V Alkaline IEC LR61
- Battery Life ≥30 hrs, continuous use, as tested

Dimensions

- (H x W x L) 83 mm x 83 mm x 32 mm
(3.25 in x 3.25 in x 1.25 in)

Weight

- Without Clasp 136 g (4.8 oz)
- With Clasp 227 g (8 oz)

Temperature

- Operating -18 °C to +50 °C
- Storage
 - Without Battery -40 °C to +70 °C (-40 °F to +158 °F)
 - With battery -20 °C to +50 °C (-0.4 °F to +122 °F)

Altitude

- Operating 2000 m
- Storage 12 000 m

Safety IEC 61010-1: Pollution Degree 2

Electromagnetic Compatibility (EMC)

International..... IEC 61326-1: Basic Electromagnetic Environment

CISPR 11: Group 1, Class B

Group 1: Equipment has intentionally generated and/or uses conductively-coupled radio frequency energy that is necessary for the internal function of the equipment itself.

Class B: Equipment is suitable for use in domestic establishments and in establishments directly connected to a low voltage power supply network which supplies buildings used for domestic purposes.

Emissions that exceed the levels required by CISPR 11 can occur when the equipment is connected to a test object

Korea (KCC)..... Class B Equipment (Broadcast communications equipment for home)

USA (FCC) 47 CFR 15 subpart B. This product is considered an exempt device per clause 15.103.